




Exposed Thermostatic Bath & Shower Mixer 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete

* Representative image



Temp & water pressure Requirement.




Working Pressure: 1~3 bar



Required Temperature: 5-65°C

- **Working Pressure:-**The water pressure should be Between 1 and 3 bar for proper functioning.
- **Required Temperature:-** The water temperature within the range of 5-65° for safe & effective use.
- **Note:-** These are recommended values for achieving conventional /Optimum output.


Country wise leg adjustment.



For
International


For India

Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL EXPOSED THERMOSTATIC BATH & SHOWER MIXER 3-IN-1 SYSTEM FOR PROVISION OF BOTH HAND SHOWER & OVERHEAD SHOWER .




Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL EXPOSED THERMOSTATIC BATH & SHOWER MIXER 3-IN-1 SYSTEM FOR PROVISION OF BOTH HAND SHOWER & OVERHEAD SHOWER .

HOW TO INSTALL



Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL EXPOSED THERMOSTATIC BATH & SHOWER MIXER 3-IN-1 SYSTEM FOR PROVISION OF BOTH HAND SHOWER & OVERHEAD SHOWER .


MULTI FUNCTION KNOB & SAFETY FEATURE




Safety Feature+Additional Temperature feature.

Press+Rotate & Release button if Water Temperature required more than 38°

Safety feature:
Standard/ default Water temperature will not exceed more that 38°




Multi Function Knob, for divert water into Spout & over Head Shower.




Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL EXPOSED THERMOSTATIC BATH & SHOWER MIXER 3-IN-1 SYSTEM FOR PROVISION OF BOTH HAND SHOWER & OVERHEAD SHOWER .





HOW TO OPERATE




Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL EXPOSED THERMOSTATIC BATH & SHOWER MIXER 3-IN-1 SYSTEM FOR PROVISION OF BOTH HAND SHOWER & OVERHEAD SHOWER .



Note: Apply liquid soap pH-B/W 5~7 or Glitz .



Steps & Cleaning agents requirements for Cleaning.



Recommended Cleaning:- Twice a week.

Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL EXPOSED THERMOSTATIC BATH & SHOWER MIXER 3-IN-1 SYSTEM FOR PROVISION OF BOTH HAND SHOWER & OVERHEAD SHOWER .