




Exposed Thermostatic Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe




* Representative image

Temp & water pressure Requirement.


	Working Pressure: 1~3 bar
	Required Temperature: 5-65°C

Country wise leg adjustment.




- **Working Pressure:-**The water pressure should be Between 1 and 3 bar for proper functioning.
- **Required Temperature:-** The water temperature within the range of 5-65° for safe & effective use.
- **Note:-** These are recommended values for achieving conventional /Optimum output.

Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL EXPOSED THERMOSTATIC BATH & SHOWER MIXER WITH PROVISION FOR CONNECTION TO EXPOSED SHOWER PIPE.




Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL EXPOSED THERMOSTATIC BATH & SHOWER MIXER WITH PROVISION FOR CONNECTION TO EXPOSED SHOWER PIPE.

HOW TO INSTALL



Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL EXPOSED THERMOSTATIC BATH & SHOWER MIXER WITH PROVISION FOR CONNECTION TO EXPOSED SHOWER PIPE.

MULTI FUNCTION KNOB & SAFETY FEATURE




Multi Function Knob, for divert water into Spout & over Head Shower.


Safety Feature+Additional Temperature feature.

Press+Rotate & Release button if Water Temperature required more than 38°

Safety feature:
Standard/ default Water temperature will not exceed more that 38°




Multi Function Knob, for divert water into Spout & over Head Shower.









Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL EXPOSED THERMOSTATIC BATH & SHOWER MIXER WITH PROVISION FOR CONNECTION TO EXPOSED SHOWER PIPE.


HOW TO OPERATE



Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL EXPOSED THERMOSTATIC BATH & SHOWER MIXER WITH PROVISION FOR CONNECTION TO EXPOSED SHOWER PIPE.



Steps & Cleaning agents requirements for Cleaning.



Recommended Cleaning:-Twice a week.

Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL EXPOSED THERMOSTATIC BATH & SHOWER MIXER WITH PROVISION FOR CONNECTION TO EXPOSED SHOWER PIPE.