




Single Lever Exposed Shower Mixer for Connection to Hand Shower




* Representative image

Temp & water pressure Requirement.


	Working Pressure: 1~3 bar
	Required Temperature: 5-65°C

Country wise leg adjustment.




- **Working Pressure:-**The water pressure should be Between 1 and 3 bar for proper functioning.
- **Required Temperature:-** The water temperature within the range of 5-65° for safe & effective use.
- **Note:-** These are recommended values for achieving conventional /Optimum output.


Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL SINGLE LEVER EXPOSED SHOWER MIXER FOR CONNECTION TO HAND SHOWER.






Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL SINGLE LEVER EXPOSED SHOWER MIXER FOR CONNECTION TO HAND SHOWER.



Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL SINGLE LEVER EXPOSED SHOWER MIXER FOR CONNECTION TO HAND SHOWER.




Note: Apply liquid soap
pH-B/W 5~7 or Glitz .



Steps & Cleaning agents requirements for Cleaning.

Recommended Cleaning:-Twice a week.



Note: Aerator Cleaning is not applicable for this item.

Note: THIS INSTALLATION MANUAL CAN BE REFERRED FOR ALL SINGLE LEVER EXPOSED SHOWER MIXER FOR CONNECTION TO HAND SHOWER.