











INSTALLATION GUIDE

NOTE: This Installation Manual can be referred for, 4-Hole Thermostatic Bath & Shower Mixer, Deck Mounted type.


Requirements:-

- ◆ Allen-key, Teflon Tape, installation location deck type nearby bath tub.
- ◆ Hot & cold water connection.
- ◆ Wrench for fitting & tightening.






HOW TO OPERATE:



Safety Feature+Additional Temperature feature.



Press+Rotate & Release button if
Water-temperature required more than 38°

Safety feature: Standard/ default Water temperature will not
exceed more that 38°

NOTE:This Installation Manual can be referred for, 4-Hole Thermostatic Bath & Shower Mixer, Deck Mounted type.



Correct Cleaning Steps:

1. Apply Liquid Soap (pH ~7):

Use a mild liquid soap (pH 5-7) or Glitz solution with a neutral water.

Spray it gently on the Outer surface of Product.

2. Use a Soft Cotton Cloth:

Wipe the Product with a soft cotton cloth to remove dirt, stains, or water marks.

This prevents scratches and keeps the surface shiny.

3. Rinse with Water:

Spray clean water on the fitting after wiping with soap. This helps remove any soap residue.

4. Final Wipe with Soft Cotton Cloth:

Again, wipe with a soft cotton cloth to dry the fitting. This ensures no water spots are left.

✗ Don'ts (Avoid These):

Don't use Powder Soap:

It can be abrasive and scratch the fitting surface.

Don't use Scrubbing Pads:

Scrubbing with rough materials can damage the finish and reduce shine.



**Recommended Cleaning:-
Twice in a Week.**

Steps & Cleaning agents requirements for

